

# Float Tube



The Geospace Technologies Float Tube is designed to be attached to a streamer above cable level and/or acoustic devices, and is non-magnetic. The device is manufactured from rigid, closed-cell PVC foam, providing 8 lbs. of positive buoyancy with a streamlined design to reduce travel noise.

## FEATURES

- Device mounted above cable leveler / acoustic devices provides positive buoyancy keeping the device vertical
- Corrosion-resistant and non-magnetic construction
- Fast, easy installation and removal

## TECHNICAL SPECIFICATIONS

- Length: 113.80 cm (44.80 in.)
- Width: 9.47 cm (3.73 in.)
- Height: 16.23 cm (6.39 in.)
- Weight in air: ~7.71 kg (17 lbs.)
- Buoyancy in water: ~3.63 kg (8 lbs.)
- Latch-pin spacing: 57.15 cm (22.50 in.)



7007 Pinemont Drive • Houston, Texas 77040 USA  
www.geospace.com • T: 713-986-4444 • F: 713-986-4445

**Geospace Technologies, Canada**  
2735 - 37th Avenue N.E.  
Calgary, Alberta,  
T1Y 5R8 Canada  
403 250-9600

**Geospace Technologies, China**  
Room 700, 7th Floor  
Lido Office Tower, Lido Place  
Jichang Road, Jiang Tai Road  
Beijing, 100004, P.R.China  
011 (86) 10 6437 8768

**Geospace Technologies**  
Sucursal Sudamericana  
Carrera 127-22 G 28 Int. 30  
Agrupación Industrial La Esperanza  
Bogotá, Colombia  
011-57-1-742-7414

**Geospace Technologies, Eurasia**  
Kirovogradskaya, 36  
Ufa, Baskortostan  
Russia 450001  
011 (7) 3472 25 39 73

**Geospace UK**  
F3 Bramingham Business Park,  
Enterprise Way, Luton  
Bedfordshire LU3 4BU, England  
011 44 (0) 7775 688 467